

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	403	table SAME (index key) SAME (group list) SAME (subgroup item) NEAR5 (element number)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/23 18:38
L2	228	L1 AND @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:58
L3	1372	pars\$5 SAME (markup ADJ language ML HTML) SAME (attribute parameter argument)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:40
L4	1431	(determin\$5 find\$5 analy\$8) SAME name ADJ value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:40
L5	71	L3 AND L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:40
L6	51	L5 AND @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:40
L7	46	L6 AND (key\$3 tag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:40
L8	41	L7 AND user\$3 SAME server\$3 AND updat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:40
L9	3	L2 AND L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:41

## EAST Search History

L10	1	10/647086	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/23 20:57
S1	780	pars\$5 SAME (markup ADJ language ML HTML) SAME (attribute parameter argument)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:18
S2	861	(determin\$5 find\$5 analy\$8) SAME name ADJ value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:23
S3	43	S1 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 15:24
S5	40	S3 AND @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 14:29
S6	36	S5 AND (key\$3 tag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 15:04
S7	812	pars\$5 SAME (markup ADJ language ML HTML) SAME (attribute parameter argument)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 15:06
S8	884	(determin\$5 find\$5 analy\$8) SAME name ADJ value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 15:06
S9	44	S7 AND S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 15:06
S10	40	S9 AND @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 15:06

## EAST Search History

S11	36	S10 AND (key\$3 tag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 15:06
S12	32	S11 AND user\$3 SAME server\$3 AND updat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 15:06
S13	1	10/647086	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 08:55
S14	2	"6789077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 09:56
S15	87	(index key tag) SAME group SAME subgroup SAME sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/15 13:00
S16	23	S15 AND @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/15 13:00
S17	13	table SAME (index key) SAME group SAME subgroup SAME sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 14:21
S18	3	S17 AND @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/15 13:00
S19	63	table SAME (index key) SAME (group list) SAME (subgroup item) SAME (sequence serial) NEAR5 (element number)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 14:28
S20	32	S19 AND @ad<"20030822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:39

Google

table AND (index OR key) AND (group OR list)

Search

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)Web Results 1 - 10 of about 30,000,000 for **table AND (index OR key) AND (group OR list) AND (subgroup OR item) AND**

### Index of the HTML 4 Elements

Index of Elements. Legend: Optional, Forbidden, Empty, Deprecated, Loose DTD, Frameset DTD ... COL, F, E, **table** column. COLGROUP, O, **table** column **group** ...  
www.w3.org/TR/html401/index/elements.html - 36k - [Cached](#) - [Similar pages](#)

### HTML Techniques for Web Content Accessibility Guidelines 1.0

"This **table** charts the **number** of cups of coffee consumed by each senator, .... Use the HTML 4.01 MAP **element** to **group** links, then identify the **group** with ...  
www.w3.org/TR/WCAG10-HTML-TECHS/ - 176k - [Cached](#) - [Similar pages](#)  
[ [More results from www.w3.org](#) ]

### Menu/Key List - XHTML component Help

Menu/Key List. **Table** of Contents. Menu Bar; Toolbar; Popup Menu; Shortcut Key ... Show Outline Box, Displays the range of **element** at cursor position ...  
www.xfy.com/manual/compo/xhtml/menu.html - 27k - [Cached](#) - [Similar pages](#)

### Group-Subgroup Graph

Each one of these pairs is characterized by a **group-subgroup index**. ... relating G and H. The **list** is given in the form of a **table** which rows correspond to ...  
www.crust.ehu.es/crust/sg\_graph\_doc.html - 11k - [Cached](#) - [Similar pages](#)

### TBPC NIGP Commodity Book

Click on Class **Number** for detailed **Item Number** information. NIGP Class-Item Codes contain .... 775, SALT (SODIUM CHLORIDE) (SEE CLASS 393 FOR **TABLE** SALT) ...  
www.tbpc.state.tx.us/com\_book/ - 67k - [Cached](#) - [Similar pages](#)

### TABLE Item Attributes

Id of the shell creating the **table item** (8 digit hex **number**) !RANGED ... value of field fieldid. (**number** or field name) of entry **index** (**number**). **index** ...  
www.kfs.oeaw.ac.at/software/stx\_manual/stx\_help\_html/743.htm - 13k - [Cached](#) - [Similar pages](#)

### Subgroup - Wikipedia, the free encyclopedia

Every **element** a of a **group** G generates the cyclic **subgroup**  $\langle a \rangle$ . ... if and only if  $a_1^{-1}a_2$  is in H. The **number** of left cosets of H is called the **index** of H ...  
en.wikipedia.org/wiki/Subgroup - 28k - [Cached](#) - [Similar pages](#)

### CDI Corporate Education Services - Index of HTML List Tags

The support page explains the **table** and the icons in detail. .... The SEQNUM attribute allows the first **list item** to be **number** instead of the default 1. ...  
www.willcam.com/cmat/html/lists.html - 16k - [Cached](#) - [Similar pages](#)

### Re: [xsl] Filling table cells with <item>s

Any **number** mod 1 is always 0 ... but there is no **element** with position() 0. ... XSL-List info and archive: <http://www.mulberrytech.com/xsl/xsl-list> ...  
www.biglist.com/lists/xsl-list/archives/200204/msg00221.html - 9k - [Cached](#) - [Similar pages](#)

### EAD Tag Library for Version 1.0: Index by Element Name

Index of **Element** Names. The following **list** of Encoded Archival Description ... Description of Subordinate Components **Group** `<dscgrp>` ... **Table** of Contents ...  
www.loc.gov/ead/tglib1998/tlindex.html - 11k - [Cached](#) - [Similar pages](#)

Download [Google Pack](#): free essential software for your PC

[table AND \(index OR key\) AND \(gro](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)